

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	290388	seiko.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 09:48
S2	195	miwa-shinji.in. kayahara-naoki.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 09:48
S3	10	jp-09326941-\$.did. jp-2001092956-\$.did. jp-2002279416-\$.did. jp-20012025046-\$.did. jp-2000209425-\$.did. jp-2000123164-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 13:15
S4	4216	(image near5 (segment\$5 partition\$3)) same (border boundar\$3 contour)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 11:11
S5	712	(image near5 (segment\$5 partition\$3)) same ((border boundar\$3 contour) with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 10:56
S6	1911	(image near5 (segment\$5 partition\$3)) same ((border boundar\$3 contour) with (extract\$3 detect\$3 identif\$7 determin\$5 locat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 11:05
S7	353	(image near5 (segment\$5 partition\$3)) same ((border boundar\$3 contour) with (extract\$3 detect\$3 identif\$7 determin\$5 locat\$3) with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 10:59
S8	39	(S1 S2) and ((segment\$5 partition\$3) and (border boundar\$3 contour)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 11:03
S9	816	(image near5 (segment\$5 partition\$3)) with ((border boundar\$3 contour) near5 (extract\$3 detect\$3 identif\$7 determin\$5 locat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 11:09

## EAST Search History

S10	306170	(edge near5 (extract\$3 detect\$3 identif\$7 determin\$5 locat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 11:10
S11	120	S9 same S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 11:52
S12	6852	382/164,167,173,199, 274;345/593;358/520.ccls.5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 11:52
S13	40	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 11:52
S14	26	S11 and ((color hue) with (adjust\$4 correct\$3 modif\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 13:16
S15	3	("7016075").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/05 16:47
S16	2	("7013042").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/05 16:49
S17	1215	(image near5 (segment\$5 partition\$3)) same ((detect\$3 identif\$7 extract\$3 locat\$3) near5 (border boundar\$3 contour))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 11:12
S18	649	(image near5 (segment\$5 partition\$3)) with ((detect\$3 identif\$7 extract\$3 locat\$3) near5 (border boundar\$3 contour))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 11:12
S19	249	(image near3 segment\$5) with ((detect\$3 extract\$3 locat\$3) near5 (border boundar\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 11:13

## EAST Search History

S20	120	(image near3 segment\$5) with (detect\$3 near3 (border boundar\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 11:13
S21	55	((color near5 correct\$3) with (boundar\$3 border)) same (interpolat\$3 weight\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:45
S22	212	(smooth\$3) with (boundar\$3 border) with (weight\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:11
S23	97	(smooth\$3 near5 (boundar\$3 border)) with (weight\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:18
S24	8	(smooth\$3 near5 (boundar\$3 border)) with (weight\$3 adj (sum\$4 averag\$3 combin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:20
S25	1	(smooth\$3 near5 (boundar\$3 border)) with (weight\$3 combin\$5) with ((adjacent neighbor\$3) adj (region area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:22
S26	1	(smooth\$3 near5 (boundar\$3 border)) same ((weight\$3 combin\$5) with ((adjacent neighbor\$3) adj (region area)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:22
S27	6	(smooth\$3 near5 (boundar\$3 border)) same ((weight\$3 combin\$5) with ((adjacent neighbor\$3) near5 (region area)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:24
S28	8	((color near5 correct\$3) with ((boundar\$3 border) near5 pixel)) same (interpolat\$3 weight\$3 averag\$3 filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:36
S29	529	((smooth\$3 correct\$3 adjust\$4) with ((boundar\$3 border) near5 pixel)) same (interpolat\$3 weight\$3 averag\$3 filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:37

## EAST Search History


S30	271	(smooth\$3 with ((boundar\$3 border) near5 pixel)) same (weight\$3 averag\$3 filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:38
S31	207	(smooth\$3 with ((boundar\$3 border) near5 pixel)) with (weight\$3 averag\$3 filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:38
S32	44	(smooth\$3 with ((boundar\$3 border) adj1 pixel)) with (weight\$3 averag\$3 filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:38
S33	32	((color near5 (enhanc\$5 correct\$3 adjust\$4)) with ((boundar\$3 border contour) near5 pixel)) same (interpolat\$3 weight\$3 averag\$3 filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 08:06
S34	44	((replac\$3 substitut\$3) with ((boundar\$3 border contour) near5 pixel)) with (weight\$3 averag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 17:57
S35	71	(enhanc\$5 near3 (boundar\$3 border contour)) with (weight\$3 averag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 17:57
S36	46	((gamut hue intensity brightness color gr\$1y\$5) near5 (enhanc\$5 correct\$3 adjust\$4)) with ((boundar\$3 border contour) near5 pixel)) same (interpolat\$3 weight\$3 averag\$3 linear2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 08:46
S37	6	((("5065234") or ("5315415") or ("5974173"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 08:47



Welcome United States Patent and Trademark Office

Search Results

BROWSE SEARCH IEEE XPLORE GUIDE SUPPORT



Results for "(( segment <paragraph> ((border <or> boundary) <sentence> detect)<in>metada..."

Your search matched 73 of 1675827 documents.

A maximum of 73 results are displayed, 25 to a page, sorted by Relevancé in Descending order.

» Search Options

Modify Search

View Session History

(( segment <paragraph> ((border <or> boundary) <sentence> detect)<in>metadata) )

New Search



Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

View: 1-25 | 26-50 | 51-73

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

view selected items

Select All Deselect All

1. The Detection and Segmentation of Blobs in Infrared Images

Minor, Lewis G.; Sklansky, Jack; Systems, Man and Cybernetics, IEEE Transactions on Volume 11, Issue 3, March 1981 Page(s):194 - 201 Digital Object Identifier 10.1109/TSMC.1981.4308652 AbstractPlus | Full Text: PDF(6324 KB) IEEE JNL Rights and Permissions

2. Straight-Line Approximation for the Boundary of the Left Ventricular Chamber from a

Cardiac Cineangiogram Kaneko, Toyohisa; Mancini, Paolo; Biomedical Engineering, IEEE Transactions on Volume BME-20, Issue 6, Nov. 1973 Page(s):413 - 416 Digital Object Identifier 10.1109/TBME.1973.324213 AbstractPlus | Full Text: PDF(1903 KB) IEEE JNL Rights and Permissions

3. Detection of coastlines in SAR images using wavelet methods

Niedermeier, A.; Romaneessen, E.; Lehner, S.; Geoscience and Remote Sensing, IEEE Transactions on Volume 38, Issue 5, Part 1, Sept. 2000 Page(s):2270 - 2281 Digital Object Identifier 10.1109/36.868884

[AbstractPlus](#) | Full Text: [PDF](#)(1300 KB) [IEEE JNL](#)  
[Rights and Permissions](#)

☐ 4. **An Approach to syntactic recognition without phonemics**

Lea, W.;  
 Audio and Electroacoustics, [IEEE Transactions on](#)  
 Volume 21, Issue 3, Jun 1973 Page(s):249 - 258  
[AbstractPlus](#) | Full Text: [PDF](#)(1200 KB) [IEEE JNL](#)  
[Rights and Permissions](#)

☐ 5. **Road boundary detection in range imagery for an autonomous robot**

Sharma, U.K.; Davis, L.S.;  
 Robotics and Automation, [IEEE Journal of \[see also IEEE Transactions on Robotics and](#)  
[Automation\]](#)  
 Volume 4, Issue 5, Oct. 1988 Page(s):515 - 523  
 Digital Object Identifier 10.1109/56.20436  
[AbstractPlus](#) | Full Text: [PDF](#)(1312 KB) [IEEE JNL](#)  
[Rights and Permissions](#)

☐ 6. **Autonomous robotic vehicle road following**

Kuan, D.; Phipps, G.; Hsueh, A.-C.;  
 Pattern Analysis and Machine Intelligence, [IEEE Transactions on](#)  
 Volume 10, Issue 5, Sept. 1988 Page(s):648 - 658  
 Digital Object Identifier 10.1109/34.6773  
[AbstractPlus](#) | Full Text: [PDF](#)(1284 KB) [IEEE JNL](#)  
[Rights and Permissions](#)

☐ 7. **Computation of the tangent graph of polygonal obstacles by moving-line processing**

Yun-Hui Liu; Arimoto, S.;  
 Robotics and Automation, [IEEE Transactions on](#)  
 Volume 10, Issue 6, Dec. 1994 Page(s):823 - 830  
 Digital Object Identifier 10.1109/70.338536  
[AbstractPlus](#) | Full Text: [PDF](#)(812 KB) [IEEE JNL](#)  
[Rights and Permissions](#)

☐ 8. **Border detection of the object segmented by the pyramid linking method**

Tomori, Z.;  
 Systems, Man and Cybernetics, [IEEE Transactions on](#)  
 Volume 25, Issue 1, Jan. 1995 Page(s):176 - 181  
 Digital Object Identifier 10.1109/21.362955  
[AbstractPlus](#) | Full Text: [PDF](#)(592 KB) [IEEE JNL](#)  
[Rights and Permissions](#)